

TIME'S UP FOR TOUGH WEEDS



Tavium Plus VaporGrip Technology for Soybeans and Cotton

The clock is ticking on weed management, and adding to the urgency is the rapid spread of tough weeds and resistance. With Tavium® Plus VaporGrip® Technology herbicide, soybeans and cotton are protected from weeds during a key time in the growing season. **Tavium is the only dicamba premix herbicide approved for use in dicamba-tolerant soybeans and cotton.** It offers the effectiveness of dicamba and, with the addition of S-metolachlor, up to three weeks longer residual control than dicamba alone.

Tavium delivers **contact and long-lasting residual control** of key broadleaf and grass weeds in all dicamba-tolerant soybean and cotton varieties. Tavium is a powerful premix combination of two effective sites of action (SOAs). The contact control of dicamba helps manage the weeds you see, and the residual control of S-metolachlor helps protect you from the weeds you don't see yet.

When every minute counts, why Tavium?

- ▶ Built-in **resistance management and convenience** as a premix
- ▶ Two effective SOAs for **contact and residual control** to manage key ALS-, PPO- and glyphosate-resistant weeds
- ▶ **Flexible application** from preplant through early post-emergence
- ▶ **Crop safe** and an easy fit in various tillage systems and geographies
- ▶ Can be tank mixed with several different herbicide offerings, **expanding the options for weed resistance management**
- ▶ When used in a program with a strong preemergence herbicide, such as Boundary® 6.5 EC, BroadAxe® XC, Prefix® or Tendovo® herbicides, it provides the **best chance of a one-pass post-emergence herbicide application**
- ▶ Use rate of **3.53 pt/A**
- ▶ Consistent **yield increase of 2 bu/A** compared to dicamba alone¹



The clock is ticking on resistance management

Tavium is most effective when used as part of a season-long weed management program combined with cultural practices. A burndown application plus a preemergence residual herbicide with multiple effective SOAs – such as **Boundary 6.5 EC, BroadAxe XC, Prefix or Tendovo** – followed by an early post-emergence application of Tavium can help **reduce the weed seed bank, increase diversity within a herbicide program and fight resistance.**

Extended residual control

Images taken 55 days after post-emergence application



Kendleton, TX; 2020.

Management of more than 70 annual grass and broadleaf weeds, including:

Broadleaf weeds:

- ▶ Palmer amaranth
- ▶ Waterhemp
- ▶ Horseweed (marestail)
- ▶ Morningglory spp.
- ▶ Ragweed spp.
- ▶ Pigweed spp.
- ▶ Kochia
- ▶ Lambsquarters
- ▶ Cocklebur
- ▶ Velvetleaf
- ▶ Russian thistle

Grass weeds:

- ▶ Barnyard grass
- ▶ Crabgrass spp.
- ▶ Foxtail spp.



Don't let time run out on your herbicide management plan – visit [SyngentaUS.com/Tavium](https://www.syngenta.com/Tavium) to learn more.



@SyngentaUS



Tavium® Plus **VaporGrip**®
Technology

syngenta®

All photos are either the property of Syngenta or are used with permission.

Performance assessments are based upon results or analysis of public information, field observations and/or internal Syngenta evaluations. Trials reflect treatment rates commonly recommended in the marketplace.

© 2026 Syngenta. **Important: Always read and follow label instructions. Some products may not be registered for sale or use in all states or counties. Please check with your local extension service to ensure registration status. Tavium Plus VaporGrip Technology is a Restricted Use Pesticide.** For use by certified applicators only. Boundary®, Caparol®, Prefix®, Reflex®, Tavium®, Tendovo®, the Alliance Frame, the Purpose Icon and the Syngenta logo are trademarks of a Syngenta Group Company. BroadAxe® is a registered trademark of FMC Corporation. Engenia® is a trademark of BASF. VaporGrip® is a registered trademark of, and used under license from, Bayer Group. All other trademarks are the property of their respective third-party owners.