

QUILT® FUNGICIDE

Date: 8/26/2016
Replaces: 2/10/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **QUILT® FUNGICIDE**
Product No.: A13705L
Use: Fungicide
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Skin Corrosion/Irritation: Category 2
Oral: Category 4
Eye Damage/Irritation: Category 2A
Specific Target Organ Toxicity: Respiratory Irritation Category 3

Signal Word (OSHA): Warning

Hazard Statements: Harmful if swallowed
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation

Hazard Symbols:



Precautionary Statements: Avoid breathing mist, vapors, spray.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves, protective clothing, eye protection.
If swallowed: Call a poison center, doctor or Syngenta if you feel unwell. Rinse mouth.
If on skin: Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice.

QUILT® FUNGICIDE

Date: 8/26/2016
Replaces: 2/10/2015

Call a poison center, doctor or Syngenta if you feel unwell.
See Section 4 First Aid Measures.
Take off contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1,2-Propanediol	Propylene Glycol	57-55-6	<5.00%
1-Octanol	1-Octanol	111-87-5	<15.0%
Other ingredients	Other ingredients	Trade Secret	>61.3%
Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate	Azoxystrobin	131860-33-8	7.0%
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	Propiconazole	60207-90-1	11.7%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation
Skin irritation
Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.
Treat symptomatically.

QUILT® FUNGICIDE

Date: 8/26/2016

Replaces: 2/10/2015

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO₂ extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Propylene Glycol	Not Established	Not Established	10 mg/m ³ TWA	AIHA
1-Octanol	Not Established	Not Established	50 ppm TWA	AIHA
Other ingredients	Not Established	Not Established	Not Established	Not Applicable
Azoxystrobin	Not Established	Not Established	4 mg/m ³ TWA	Syngenta
Propiconazole	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

QUILT® FUNGICIDE

Date: 8/26/2016
Replaces: 2/10/2015

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Opaque yellow liquid

Odor: Xylene

Odor Threshold: Not Available

pH: 6.6 (1% solution in H₂O @ 77°F (25°C))

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 212°F

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Azoxystrobin 8.25 x 10⁽⁻¹³⁾ mmHg @ 68°F (20°C)
Propiconazole 4.2 x 10⁽⁻⁷⁾ mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.033 g/cm³ @ 68°F (20°C)

Solubility (ies): Azoxystrobin 6 mg/l in water @ 68°F (20°C)
Propiconazole 0.1 g/l @ 68°F (20°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: 824°F

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

QUILT® FUNGICIDE

Date: 8/26/2016
 Replaces: 2/10/2015

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
 Chemical stability: Stable under normal use and storage conditions.
 Possibility of hazardous reactions: Will not occur.
 Conditions to Avoid: None known.
 Incompatible materials: None known.
 Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation, Skin irritation, Respiratory irritation

Delayed, immediate and chronic effects of exposure: Eye irritation, Skin irritation, Respiratory system effects

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Female Rat) :	1750 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 5000 mg/kg body weight
Inhalation:	Inhalation (LC50 Female Rat) :	> 2.55 mg/l air - 4 hours
Eye Contact:	Severely Irritating (Rabbit)	
Skin Contact:	Moderately Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Azoxystrobin : Did not show reproductive toxicity effects in animal experiments.
 Propiconazole: None observed.

Chronic/Subchronic Toxicity Studies

Azoxystrobin : No adverse effect has been observed in chronic toxicity tests.
 Propiconazole: None observed.

Carcinogenicity

Azoxystrobin : Did not show carcinogenic effects in animal experiments.
 Propiconazole: Increased hepatocellular adenomas, combined adenomas/carcinomas, and hepatocellular carcinomas observed in male mice in a chronic oral feeding study. However, animals in the high dose group for this study showed excessive toxicity; furthermore, the high dose exceeded the Maximum Tolerated Dose determined in the 90-day range finding study. No treatment-related tumors were seen in female mice in this mouse chronic feeding study. No tumors were noted in a chronic rat study.

Chemical Name	NTP/IARC/OSHA Carcinogen
1,2-Propanediol	No

QUILT® FUNGICIDE

Date: 8/26/2016
 Replaces: 2/10/2015

1-Octanol	No
Other ingredients	No
Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-yloxy]phenyl}-3-methoxyacrylate	No
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole	No

Other Toxicity Information

None

Toxicity of Other Components

1-Octanol

Exposure may cause eye, skin and respiratory tract irritation. Prolonged skin contact may cause dermatitis and defatting.

Other ingredients

Not Established

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target Organs

Active Ingredients

Azoxystrobin :	Liver
Propiconazole:	Liver

Inert Ingredients

1-Octanol:	Eye, skin, respiratory tract
Other ingredients:	Not Established
Propylene Glycol:	CNS, kidney, liver

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Azoxystrobin :

- Fish (Rainbow Trout) 96-hour LC50 470 ppb
- Green Algae 5-day EC50 106 ppb
- Invertebrate (Water Flea) 48-hour EC50 259 ppb
- Bird (Mallard Duck) 14-day LD50 > 250 mg/kg

Propiconazole:

- Fish (Rainbow Trout) 96-hour LC50 0.83 ppm
- Invertebrate (Water Flea) 48-hour EC50 3.2 ppm
- Green Algae 9-day EC50 0.72 ppm
- Bird (Mallard Duck) 14-day LD50 2510 mg/kg

Environmental Fate

Azoxystrobin :

QUILT® FUNGICIDE

Date: 8/26/2016
Replaces: 2/10/2015

The information presented here is for the active ingredient, azoxystrobin.
Low bioaccumulation potential. Not persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

Propiconazole:

The information presented here is for the active ingredient, propiconazole.
Low bioaccumulation potential. Not persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS**Disposal:**

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION**DOT Classification**

Ground Transport - NAFTA
Not regulated

Comments

Water Transport - International
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin/Propiconazole), Marine Pollutant
Hazard Class or Division: Class 9
Identification Number: UN 3082
Packing Group: PG III

Air Transport - International
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Azoxystrobin/Propiconazole)
Hazard Class or Division: Class 9
Identification Number: UN 3082
Packing Group: PG III
Note: This product is currently not regulated for airfreight within the NAFTA region. However, effective 01/01/2011 the above classification must be used.

15. REGULATORY INFORMATION**Pesticide Registration:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning: Causes substantial but temporary eye injury. Harmful if swallowed. Do not get in eyes or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

EPA Registration Number(s):

100-1178

EPCRA SARA Title III Classification:

QUILT® FUNGICIDE

Date: 8/26/2016
 Replaces: 2/10/2015

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Propiconazole 11.7% (CAS No. 60207-90-1)

CERCLA/SARA 304 Reportable Quantity (RQ):

None

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 2
 Flammability: 1
 Physical Hazard: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: C,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/28/2007

Revision Date: 8/26/2016

Replaces: 2/10/2015

Section(s) Revised: 3,16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.