

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

SECTION 1. IDENTIFICATION

Product name : LUMAX EZ

Design code. : A19414E

Product Registration number : 100-1442

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481

Telefax : 1 336 632 2192

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Restricted Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with 29 CFR 1910.1200**

Skin irritation : Category 2

Skin sensitization : Sub-category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity : Category 2 (Heart)
- repeated exposure (Oral)**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

H350 May cause cancer.
H373 May cause damage to organs (Heart) through prolonged or repeated exposure if swallowed.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Components**

Chemical name	CAS-No.	Concentration (% w/w)
S-metolachlor	87392-12-9	27.0909
atrazine	1912-24-9	10.1818
propane-1,2-diol	57-55-6	>= 1 - < 5
mesotrione	104206-82-8	2.7091
nitric acid ammonium salt	6484-52-2	>= 1 - < 5
benoxacor	98730-04-2	>= 1 - < 5
amines, coco alkyl, ethoxylated	61791-14-8	>= 1 - < 5
poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, phosphate	9046-01-9	>= 1 - < 5
copper(II) hydroxide	20427-59-2	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice

:

Have the product container, label or Safety Data Sheet with

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

- you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

LUMAX EZ

Version
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
S-metolachlor	87392-12-9	TWA	5 mg/m ³	Syngenta
atrazine	1912-24-9	TWA	2 mg/m ³	Syngenta
		TWA	5 mg/m ³	NIOSH REL
		TWA (Inhalable fraction)	2 mg/m ³	ACGIH
propane-1,2-diol	57-55-6	TWA	10 mg/m ³	US WEEL
mesotrione	104206-82-8	TWA	5 mg/m ³	Syngenta
benoxacor	98730-04-2	TWA	1 mg/m ³	Syngenta
copper(II) hydroxide	20427-59-2	TWA	1 mg/m ³ (Copper)	NIOSH REL

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

APPLICATIONS AND/OR ON-FARM APPLICATIONS
CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Appearance	: liquid
Color	: light brown
Odor	: No data available
Odor Threshold	: No data available
pH	: 3 - 7 Concentration: 1 z%w/v
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.08 - 1.12 g/cm ³ (20 °C / 20 °C)
Solubility(ies) Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: None reasonably foreseeable.
------------	--------------------------------

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: No decomposition if used as directed.
Incompatible materials	: None known.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity**Product:**

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials

Components:**S-metolachlor:**

Acute oral toxicity	: LD50 (Rat, male and female): 2,672 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.91 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

atrazine:

Acute oral toxicity	: LD50 (Rat, male and female): 3,090 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.82 mg/l Exposure time: 4 h

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 3,100 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

mesotrione:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

benoxacor:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

amines, coco alkyl, ethoxylated:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

copper(II) hydroxide:

Acute oral toxicity : LD50 (Rat): 451 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.50 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : Irritating to skin.
Remarks : Based on data from similar materials

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

Components:**S-metolachlor:**

Species : Rabbit
Result : No skin irritation

atrazine:

Species : Rabbit
Result : No skin irritation

mesotrione:

Species : Rabbit
Result : No skin irritation

benoxacor:

Species : Rabbit
Result : No skin irritation

amines, coco alkyl, ethoxylated:

Result : Corrosive after 3 minutes to 1 hour of exposure

poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, phosphate:

Result : Irritating to skin.

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:**S-metolachlor:**

Species : Rabbit
Result : No eye irritation

atrazine:

Species : Rabbit
Result : No eye irritation

mesotrione:

Species : Rabbit
Result : No eye irritation

nitric acid ammonium salt:

Result : Eye irritation

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

benoxacor:

Species	: Rabbit
Result	: No eye irritation

poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, phosphate:

Result	: Risk of serious damage to eyes.
--------	-----------------------------------

copper(II) hydroxide:

Species	: Rabbit
Result	: Risk of serious damage to eyes.

Respiratory or skin sensitization**Product:**

Species	: Guinea pig
Result	: The product is a skin sensitizer, sub-category 1B.
Remarks	: Based on data from similar materials

Components:**S-metolachlor:**

Species	: Guinea pig
Result	: The product is a skin sensitizer, sub-category 1B.

atrazine:

Test Type	: Maximization Test
Species	: Guinea pig
Result	: The product is a skin sensitizer, sub-category 1A.

mesotrione:

Test Type	: Maximization Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.

benoxacor:

Species	: Guinea pig
Result	: May cause sensitization by skin contact.

Germ cell mutagenicity**Components:****S-metolachlor:**

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

atrazine:

Germ cell mutagenicity - Assessment	: Did not show mutagenic or teratogenic effects in animal experiments.
-------------------------------------	--

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

mesotrione:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

benoxacor:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity**Components:****S-metolachlor:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

atrazine:

Carcinogenicity - Assessment : This substance has been reported to cause tumors in certain animal species., There is no evidence that these findings are relevant to humans.

mesotrione:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

benoxacor:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity**Components:****S-metolachlor:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

atrazine:

Reproductive toxicity - Assessment : No toxicity to reproduction

mesotrione:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

benoxacor:

Reproductive toxicity - Assessment : No toxicity to reproduction

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

STOT-repeated exposure**Components:****atrazine:**

Routes of exposure : Ingestion
Target Organs : Heart
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity**Components:****S-metolachlor:**

Remarks : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

mesotrione:

Remarks : No adverse effect has been observed in chronic toxicity tests.

benoxacor:

Remarks : No adverse effect has been observed in chronic toxicity tests.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****S-metolachlor:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.23 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 1.4 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.077 mg/l
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.016 mg/l
End point: Growth rate
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.023 mg/l
Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0.0076 mg/l
Exposure time: 14 d

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.03 mg/l
Exposure time: 35 zd

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.13 mg/l
Exposure time: 28 zd

M-Factor (Chronic aquatic toxicity) : 10

atrazine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 5.4 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.16 mg/l
Exposure time: 96 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.011 mg/l
End point: Growth rate
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0.05 mg/l
Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0.0083 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.26 mg/l
Exposure time: 28 zd

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

mesotrione:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 97.1 mg/l

LUMAX EZ

Version 1.0 Revision Date: 01/24/2020 SDS Number: S00037121552 This version replaces all previous versions.

	Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 900 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.87 mg/l Exposure time: 72 h
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.18 mg/l End point: Growth rate Exposure time: 72 h
	EC50 (Lemna gibba (gibbous duckweed)): 0.022 mg/l Exposure time: 14 d
	NOEC (Lemna gibba (gibbous duckweed)): 0.008 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 12.5 mg/l Exposure time: 36 zd
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 180 mg/l Exposure time: 21 zd
M-Factor (Chronic aquatic toxicity)	: 10
benoxacor:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 2.9 mg/l Exposure time: 96 h
	LC50 (Ictalurus punctatus (channel catfish)): 1.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 4.782 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 13.5 mg/l Exposure time: 72 h
	EC10 (Desmodesmus subspicatus (green algae)): 0.22 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.31 mg/l Exposure time: 32 zd
	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.016 mg/l Exposure time: 21 zd

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.354 mg/l
Exposure time: 21 zd

amines, coco alkyl, ethoxylated:**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

poly(oxy-1,2-ethanediyl), alpha-tridecyl-omega-hydroxy-, phosphate:**Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

copper(II) hydroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 43.8 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability**Components:****S-metolachlor:**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 53 - 147 d
Remarks: Product is not persistent.

atrazine:

Biodegradability : Result: Not readily biodegradable.

mesotrione:

Stability in water : Degradation half life: > 30 d (25 °C)
Remarks: Persistent in water.

benoxacor:

Biodegradability : Result: Not readily biodegradable.

LUMAX EZVersion
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

Bioaccumulative potential**Components:****S-metolachlor:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.05 (25 °C / 25 °C)

atrazine:

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 2.5 (25 °C / 25 °C)

mesotrione:

Bioaccumulation : Remarks: Low bioaccumulation potential.

benoxacor:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.6 (25 °C / 25 °C)

Mobility in soil**Components:****S-metolachlor:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.**atrazine:**

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: 43 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.**mesotrione:**

Distribution among environmental compartments : Remarks: Mesotrione has medium to high mobility in soil.

Stability in soil : Dissipation time: 6 - 105 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

benoxacor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 0.9 - 5.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects**Components:****atrazine:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

mesotrione:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

benoxacor:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR AND ATRAZINE)
Class	: 9
Packing group	: III
Labels	: 9

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (S-METOLACHLOR AND ATRAZINE)
Class	: 9
Packing group	: III
Labels	: Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR AND ATRAZINE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

Remarks	: Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.
---------	---

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Causes moderate eye irritation.

LUMAX EZ

Version 1.0 Revision Date: 01/24/2020 SDS Number: S00037121552 This version replaces all previous versions.

Avoid contact with skin, eyes or clothing.
Wear appropriate protective eyewear such as goggles
Wear appropriate protective eyewear such as face shield.
Wear appropriate protective eyewear such as safety glasses.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove and wash contaminated clothing before re-use.

EPCRA - Emergency Planning and Community Right-to-Know**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
calcium dodecylbenzene sulpho- nate	26264-06-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Carcinogenicity
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation
Respiratory or skin sensitization

SARA 313 : The following components are subject to reporting levels
established by SARA Title III, Section 313:

atrazine 1912-24-9 >= 10 - < 20 %

The ingredients of this product are reported in the following inventories:

TSCA : Substance(s) not listed on TSCA inventory

TSCA list

No substances are subject to TSCA 12(b) export notification requirements.

The following substance(s) is/are subject to a Significant New Use Rule:

benzene, 1,3-diisocyanato-2-methyl- 91-08-7

LUMAX EZ


Version
1.0Revision Date:
01/24/2020SDS Number:
S00037121552

This version replaces all previous versions.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
US WEEL / TWA	:	8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

LUMAX EZ

Version 1.0	Revision Date: 01/24/2020	SDS Number: S00037121552	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

tative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 01/24/2020

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8