

**RIDOMIL GOLD COPPER**

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : RIDOMIL GOLD COPPER  
Design code. : A9601B

Product Registration number : 100-804

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192  
Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Fungicide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Serious eye damage : Category 1  
Carcinogenicity : Category 1A

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.  
H318 Causes serious eye damage.  
H350 May cause cancer.

Precautionary Statements :

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	CAS-No.	Concentration (% w/w)
copper hydroxide	20427-59-2	59.871
kaolin	1332-58-7	>= 10 - < 20
silicon dioxide, chemically prepared	112926-00-8	>= 10 - < 20
metalaxyl-M	70630-17-0	5
silicic acid, calcium salt	1344-95-2	>= 1 - < 5
lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	>= 1 - < 5
sodium dibutyl-naphthalenesulphonate	25417-20-3	>= 1 - < 5
titanium dioxide	13463-67-7	>= 0.1 - < 1
dioxosilane	14808-60-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

- In case of skin contact : Call a physician or poison control center immediately.  
: Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this  
container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid dust formation.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).  
Do not create a powder cloud by using a brush or compressed air.

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup>	OSHA P0
silicon dioxide, chemically prepared	112926-00-8	TWA	6 mg/m <sup>3</sup>	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL
metalaxyl-M	70630-17-0	TWA	5 mg/m <sup>3</sup>	Syngenta
silicic acid, calcium salt	1344-95-2	TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL

## RIDOMIL GOLD COPPER

Version  
1.0Revision Date:  
12/29/2020SDS Number:  
S12043975

This version replaces all previous versions.

		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
titanium dioxide	13463-67-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA	10 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH
dioxosilane	14808-60-7	TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2</sub> +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2</sub> +5	OSHA Z-3
		TWA (respirable dust fraction)	0.1 mg/m <sup>3</sup>	OSHA P0
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
		TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	OSHA Z-1
		PEL (respirable)	0.05 mg/m <sup>3</sup>	OSHA CARC

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

### Hand protection

- Remarks : No special protective equipment required.
- Eye protection : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Face-shield
- Skin and body protection : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : powder
- Color : blue
- Odor : like clay, weak
- Odor Threshold : No data available
- pH : No data available
- Melting point/range : No data available
- Boiling point/boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available
- Density : 0.37 g/cm<sup>3</sup> (77 °F / 25 °C)
- Solubility(ies)
- Water solubility : No data available
- Solubility in other solvents : No data available
- Partition coefficient: n-octanol/water : No data available

**RIDOMIL GOLD COPPER**

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : No data available

    Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Particle size : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 1.73 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rabbit): > 2,020 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Components:****copper hydroxide:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**RIDOMIL GOLD COPPER**

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

Acute inhalation toxicity : Assessment: The component/mixture is highly toxic after short term inhalation.

**metalaxyl-M:**

Acute oral toxicity : LD50 (Rat, male): 953 mg/kg  
LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**sodium dibutylnaphthalenesulphonate:**

Acute oral toxicity : LD50 (Rat): 1,800 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 4.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Acute dermal toxicity : LD50 (Rat): 3,000 mg/kg

**Skin corrosion/irritation****Product:**

Result : No skin irritation

**Components:****metalaxyl-M:**

Species : Rabbit  
Result : No skin irritation

**sodium dibutylnaphthalenesulphonate:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Components:****copper hydroxide:**

Result : Irreversible effects on the eye



**RIDOMIL GOLD COPPER**

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

**metalaxyl-M:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

**lignosulfonic acid, sodium salt, sulfomethylated:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**sodium dibutylnaphthalenesulphonate:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

**Respiratory or skin sensitization****Product:**

Species : Rabbit  
Result : Did not cause sensitization on laboratory animals.

**Components:****metalaxyl-M:**

Species : Guinea pig  
Result : Did not cause sensitization on laboratory animals.

**sodium dibutylnaphthalenesulphonate:**

Test Type : Maximization Test  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Germ cell mutagenicity****Components:****metalaxyl-M:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**silicic acid, calcium salt:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects., In vitro tests did not show mutagenic effects

**lignosulfonic acid, sodium salt, sulfomethylated:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**sodium dibutylnaphthalenesulphonate:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

### Carcinogenicity

#### Components:

##### **metalaxyl-M:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **silicic acid, calcium salt:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **IARC**

Group 1: Carcinogenic to humans  
dioxosilane 14808-60-7  
(Silica dust, crystalline)

Group 2B: Possibly carcinogenic to humans  
titanium dioxide 13463-67-7

##### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### **NTP**

Known to be human carcinogen  
dioxosilane 14808-60-7  
(Silica, Crystalline (Respirable Size))

### Reproductive toxicity

#### Components:

##### **metalaxyl-M:**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **silicic acid, calcium salt:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### STOT-single exposure

#### Components:

##### **sodium dibutylnaphthalenesulphonate:**

Target Organs : Respiratory system  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT-repeated exposure

#### Components:

##### **metalaxyl-M:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

### dioxosilane:

Routes of exposure : Inhalation  
 Target Organs : Lungs  
 Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **copper hydroxide:**

##### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.  
 Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### **metalaxyl-M:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
 Exposure time: 96 h  
 LC50 (Cyprinus carpio (Carp)): > 100 mg/l  
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l  
 Exposure time: 96 h  
 NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l  
 End point: Growth rate  
 Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l  
 Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l  
 Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
 Exposure time: 3 h

**titanium dioxide:**

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
 Exposure time: 72 h

**RIDOMIL GOLD COPPER**

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

---

**Ecotoxicology Assessment**

Acute aquatic toxicity : This product has no known ecotoxicological effects.  
Chronic aquatic toxicity : This product has no known ecotoxicological effects.

**Persistence and degradability****Components:****metalaxyl-M:**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 22.4 - 47.5 d  
Remarks: Product is not persistent.

**lignosulfonic acid, sodium salt, sulfomethylated:**

Biodegradability : Result: Not readily biodegradable.

**Bioaccumulative potential****Components:****metalaxyl-M:**

Bioaccumulation : Remarks: Low bioaccumulation potential.  
Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

**Mobility in soil****Components:****metalaxyl-M:**

Distribution among environmental compartments : Remarks: Metalaxyl has a range from low to very high mobility in soil depending on soil type.  
Stability in soil : Dissipation time: < 50 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**Other adverse effects****Components:****metalaxyl-M:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.

---

## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

Contaminated packaging : Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(COPPER HYDROXIDE)  
Class : 9  
Packing group : III  
Labels : 9

##### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(COPPER HYDROXIDE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(COPPER HYDROXIDE)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to

**RIDOMIL GOLD COPPER**

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

facilitate multi-modal transport involving ICAO (IATA) or IMO.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger

Corrosive

Causes irreversible eye damage.

Do not get in eyes or on clothing.

Wear appropriate protective eyewear such as face shield.

Wear appropriate protective eyewear such as goggles

Wear appropriate protective eyewear such as safety glasses.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Carcinogenicity  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65**

WARNING: This product can expose you to chemicals including dioxosilane, titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The ingredients of this product are reported in the following inventories:**

TSCA : On or in compliance with the active portion of the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.


## RIDOMIL GOLD COPPER

Version 1.0      Revision Date: 12/29/2020      SDS Number: S12043975      This version replaces all previous versions.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research

**RIDOMIL GOLD COPPER**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.0	12/29/2020	S12043975	

on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/29/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8