

**ACURON GT HERBICIDE**

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

**SECTION 1. IDENTIFICATION**

Product name : ACURON GT HERBICIDE  
Design code. : A23011C  
Product Registration number : 100-1675

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)  
  
Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192  
Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Herbicide  
Restrictions on use : General Use Pesticide

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Carcinogenicity : Category 1A  
Reproductive toxicity : Category 1B

**GHS label elements**

Hazard pictograms :



Signal Word : Danger  
Hazard Statements : H350 May cause cancer.  
H360D May damage the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
glyphosate-potassium	39600-42-5	24.21
S-metolachlor	87392-12-9	19.6634
mesotrione	104206-82-8	1.9663
bicyclopyrone	352010-68-5	0.936
sulfuric acid	7664-93-9	$\geq 0.1 - < 1$
5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one	55965-84-9	$\geq 0.0015 - < 0.1$

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms : Nonspecific

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

and effects, both acute and delayed  
Notes to physician : No symptoms known or expected.  
: There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
S-metolachlor	87392-12-9	TWA	5 mg/m <sup>3</sup>	Syngenta
mesotrione	104206-82-8	TWA	5 mg/m <sup>3</sup>	Syngenta
bicyclopyrone	352010-68-5	TWA	0.7 mg/m <sup>3</sup>	Syngenta
sulfuric acid	7664-93-9	TWA (Thoracic particulate matter)	0.2 mg/m <sup>3</sup>	ACGIH
		TWA	1 mg/m <sup>3</sup>	NIOSH REL
		TWA	1 mg/m <sup>3</sup>	OSHA Z-1
		TWA	1 mg/m <sup>3</sup>	OSHA P0

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection**

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : light brown

Odor : No data available

Odor Threshold : No data available

pH : 2 - 6  
Concentration: 1 % w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: Seta closed cup  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.20 - 1.24 g/cm<sup>3</sup> (68 °F / 20 °C)

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 1035 °F / 557 °C

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

Decomposition temperature : No data available

Viscosity  
 Viscosity, dynamic : No data available  
 Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.  
 Chemical stability : Stable under normal conditions.  
 Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.  
 Conditions to avoid : No decomposition if used as directed.  
 Incompatible materials : None known.  
 Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
 Inhalation  
 Skin contact  
 Eye contact

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.07 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

##### Components:

##### **glyphosate-potassium:**

Acute oral toxicity : LD50 (Rat, female): Calculated 2,111 mg/kg  
 LD50 (Rat, male): Calculated 3,889 mg/kg

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

Acute inhalation toxicity : LC50 (Rat, male and female): Calculated > 4.95 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): Calculated > 2,400 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

### **S-metolachlor:**

Acute oral toxicity : LD50 (Rat, male and female): 2,672 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

### **mesotrione:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
 Assessment: The substance or mixture has no acute dermal toxicity

### **bicyclopyrone:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.21 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

### **5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:**

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : Assessment: The component/mixture is highly toxic after short term inhalation.

**ACURON GT HERBICIDE**

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

---

Acute dermal toxicity : Assessment: The component/mixture is highly toxic after single contact with skin.

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****glyphosate-potassium:**

Species : Rabbit  
Result : No skin irritation

**S-metolachlor:**

Species : Rabbit  
Result : No skin irritation

**mesotrione:**

Species : Rabbit  
Result : No skin irritation

**bicyclopyrone:**

Species : Rabbit  
Result : No skin irritation

**sulfuric acid:**

Result : Corrosive after 3 minutes or less of exposure

**5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:**

Result : Corrosive after 1 to 4 hours of exposure

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation

**Components:****glyphosate-potassium:**

Species : Rabbit  
Result : No eye irritation

**S-metolachlor:**

Species : Rabbit  
Result : No eye irritation



**ACURON GT HERBICIDE**

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

---

**mesotrione:**

Species : Rabbit  
Result : No eye irritation

**bicyclopyrone:**

Species : Rabbit  
Result : No eye irritation

**Respiratory or skin sensitization****Product:**

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Did not cause sensitization on laboratory animals.

**Components:****glyphosate-potassium:**

Species : Guinea pig  
Result : Did not cause sensitization on laboratory animals.

**S-metolachlor:**

Species : Guinea pig  
Result : The product is a skin sensitizer, sub-category 1B.

**mesotrione:**

Test Type : Maximization Test  
Species : Guinea pig  
Result : Does not cause skin sensitization.

**bicyclopyrone:**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Did not cause sensitization on laboratory animals.

**5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:**

Result : The product is a skin sensitizer, sub-category 1A.

**Germ cell mutagenicity****Components:****glyphosate-potassium:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**S-metolachlor:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

### mesotrione:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### bicyclopyrone:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Components:

#### glyphosate-potassium:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### S-metolachlor:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### mesotrione:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### bicyclopyrone:

Carcinogenicity - Assessment : This substance has been reported to cause tumors in certain animal species., There is no evidence that these findings are relevant to humans., Weight of evidence does not support classification as a carcinogen

**IARC**      Group 1: Carcinogenic to humans  
sulfuric acid      7664-93-9  
(Acid mists, strong inorganic)

**OSHA**      No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**      Known to be human carcinogen  
sulfuric acid      7664-93-9

### Reproductive toxicity

#### Components:

#### glyphosate-potassium:

Reproductive toxicity - Assessment : No toxicity to reproduction

#### S-metolachlor:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

#### mesotrione:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

#### bicyclopyrone:

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility., These concentrations exceed relevant human dose levels., Clear evidence of adverse effects on development, based on animal experiments.

### STOT-repeated exposure

#### Components:

##### **bicyclopyrone:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **glyphosate-potassium:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

##### **S-metolachlor:**

Remarks : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **mesotrione:**

Remarks : No adverse effect has been observed in chronic toxicity tests.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **glyphosate-potassium:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): Calculated > 1,511 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): Calculated > 1,227 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): Calculated 66 mg/l  
Exposure time: 72 h

##### **S-metolachlor:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.23 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 1.4 mg/l  
Exposure time: 96 h

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.016 mg/l End point: Growth rate Exposure time: 96 h
		EC50 (Lemna gibba (gibbous duckweed)): 0.023 mg/l Exposure time: 14 d
		NOEC (Lemna gibba (gibbous duckweed)): 0.0076 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.03 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Americamysis): 0.13 mg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10
<b>mesotrione:</b>		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 120 mg/l Exposure time: 96 h
		LC50 (Cyprinus carpio (Carp)): > 97.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 900 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 12 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.75 mg/l End point: Growth rate Exposure time: 96 h
		ErC50 (Lemna gibba (gibbous duckweed)): 0.028 mg/l Exposure time: 7 d
		NOEC (Lemna gibba (gibbous duckweed)): 0.002 mg/l End point: Growth rate Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 12.5 mg/l

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

icity)	Exposure time: 36 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 180 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10
<b>bicyclopyrone:</b>	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
	LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 5.4 mg/l Exposure time: 96 h
	NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l End point: Growth rate Exposure time: 96 h
	ErC50 (Lemna gibba (gibbous duckweed)): 0.055 mg/l Exposure time: 7 d
	NOEC (Lemna gibba (gibbous duckweed)): 0.0032 mg/l End point: Growth rate Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 10 mg/l Exposure time: 33 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 100 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

### 5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.22 mg/l  
Exposure time: 96 h

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 0.1 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.048 mg/l  
Exposure time: 72 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.0012 mg/l  
End point: Growth rate  
Exposure time: 72 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l  
Exposure time: 48 h
- NOEC (Skeletonema costatum (marine diatom)): 0.00064 mg/l  
End point: Growth rate  
Exposure time: 48 h
- M-Factor (Acute aquatic toxicity) : 100
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.098 mg/l  
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia): 0.004 mg/l  
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

#### Components:

##### **S-metolachlor:**

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Degradation half life: 53 - 147 d  
Remarks: Product is not persistent.

##### **mesotrione:**

- Stability in water : Degradation half life: > 30 d (25 °C)  
Remarks: Persistent in water.

##### **bicyclopyrone:**

- Biodegradability : Result: Not readily biodegradable.

##### **5-chloro-2-methyl-1,2-thiazol-3-one; 2-methyl-1,2-thiazol-3-one:**

- Biodegradability : Result: Readily biodegradable.

## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

### Bioaccumulative potential

#### Components:

##### **S-metolachlor:**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.05 (77 °F / 25 °C)

##### **mesotrione:**

Bioaccumulation : Remarks: Low bioaccumulation potential.

##### **bicyclopyrone:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -1.9 (77 °F / 25 °C)

### Mobility in soil

#### Components:

##### **S-metolachlor:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

##### **mesotrione:**

Distribution among environmental compartments : Remarks: Mesotrione has medium to high mobility in soil.

Stability in soil : Dissipation time: 6 - 105 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

##### **bicyclopyrone:**

Distribution among environmental compartments : Remarks: Very highly mobile in soil.

Stability in soil : Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### **mesotrione:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **bicyclopyrone:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**ACURON GT HERBICIDE**

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(S-METOLACHLORAND MESOTRIONE)  
Class : 9  
Packing group : III  
Labels : 9

**IATA-DGR**

- UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(S-METOLACHLOR AND MESOTRIONE)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

**IMDG-Code**

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(S-METOLACHLOR AND MESOTRIONE)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.



## ACURON GT HERBICIDE

Version 2.0      Revision Date: 02/19/2021      SDS Number: S00030363173      This version replaces all previous versions.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### Caution

Harmful if swallowed.

Harmful if absorbed through skin.

Causes moderate eye irritation.

Avoid contact with skin, eyes or clothing.

May cause skin sensitization reactions in certain individuals.

### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sulfuric acid	7664-93-9	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sulfuric acid	7664-93-9	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Carcinogenicity  
Reproductive toxicity

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### The ingredients of this product are reported in the following inventories:

TSCA : On or in compliance with the active portion of the TSCA inventory

### TSCA list

No substances are subject to a Significant New Use Rule.

## ACURON GT HERBICIDE

Version  
2.0Revision Date:  
02/19/2021SDS Number:  
S00030363173


This version replaces all previous versions.

No substances are subject to TSCA 12(b) export notification requirements.

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

<b>HEALTH</b>	*	0
<b>FLAMMABILITY</b>	0	
<b>PHYSICAL HAZARD</b>	0	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health

**ACURON GT HERBICIDE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
2.0	02/19/2021	S00030363173	

Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 02/19/2021

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8