

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **HELIX XTra® Insecticide with Fungicides**

Product No.: A11642A

Use: Insecticide / Fungicide

Manufacturer: Syngenta Crop Protection, LLC  
Post Office Box 18300  
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Carcinogenicity: Category 2  
Specific Target Organ Toxicity: Repeated Category 2  
Eye Damage/Irritation: Category 2B

Signal Word (OSHA): Warning

Hazard Statements: Causes eye irritation  
Suspected of causing cancer  
May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe mist, vapors, spray.  
Wash hands and face thoroughly after handling.  
Wear protective gloves, protective clothing, eye protection.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice.  
If exposed or concerned: Get medical advice/attention.  
Get medical advice if you feel unwell.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	Common Name	CAS Number	Concentration
Glycerin	Glycerin	56-81-5	Trade Secret
Titanium Dioxide	Titanium Dioxide	13463-67-7	Trade Secret
Other ingredients	Other ingredients	Trade Secret	<77.52%
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	Difenoconazole	119446-68-3	1.25%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylaminol]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	0.40%
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	Fludioxonil	131341-86-1	0.13%
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	Thiamethoxam	153719-23-4	20.70%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

**4. FIRST AID MEASURES**

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

**Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

**Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

**5. FIRE FIGHTING MEASURES**

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

# HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015

Replaces: 10/17/2014

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

## 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Glycerin	15 mg/m <sup>3</sup> TWA (total); 5 mg/m <sup>3</sup> TWA (respirable)	Not Established	Not Established	Not Applicable
Titanium Dioxide	15 mg/m <sup>3</sup> TWA (total)	10 mg/m <sup>3</sup> TWA	2.4 mg/m <sup>3</sup> 10-hr TWA (fine dust); 0.3 mg/m <sup>3</sup> (ultrafine dust)	Manufacturer
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Difenoconazole	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta
Mefenoxam	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta
Fludioxonil	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta
Thiamethoxam	Not Established	Not Established	3 mg/m <sup>3</sup> TWA	Syngenta

### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use chemical splash goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH certified respirator with any N, R, P or HE filter.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Light blue liquid

Odor: Paint-like

Odor Threshold: Not Available

pH: 6.5 Typical

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 200°F

Flammable Limits (% in Air): Not Available

Flammability: Not Applicable

Vapor Pressure: Difenoconazole 2.5 x 10<sup>-10</sup> mmHg @ 77°F (25°C)

Fludioxonil 2.9 x 10<sup>-9</sup> mmHg @ 77°F (25°C)

Mefenoxam 2.5 x 10<sup>-5</sup> mmHg @ 77°F (25°C)

Thiamethoxam 2 x 10<sup>-11</sup> mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 1.289 g/cm<sup>3</sup>; 10.76 lbs/gal

Solubility (ies): Difenoconazole 15 mg/l @ 77°F (25°C)

Fludioxonil 1.8 mg/l @ 77°F (25°C)

Mefenoxam 26 g/l @ 77°F (25°C)

Thiamethoxam 4.1 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.  
Chemical stability: Stable under normal use and storage conditions.  
Possibility of hazardous reactions: Will not occur.  
Conditions to Avoid: None known.  
Incompatible materials: None known.  
Hazardous Decomposition Products: None known.

### 11. TOXICOLOGICAL INFORMATION

#### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation

Delayed, immediate and chronic effects of exposure: Possible carcinogenicity, Eye irritation

#### Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.56 mg/l air - 4 hours
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

#### Reproductive/Developmental Effects

Difenoconazole: None observed.

Fludioxonil: Delayed development at doses causing maternal toxicity.

Mefenoxam: None observed.

Thiamethoxam: Developmental: Not teratogenic in rats or rabbits.

Reproductive: No effects on reproduction. Minor increase in a common testis effect in rats at high doses, which did not affect reproduction.

#### Chronic/Subchronic Toxicity Studies

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.

Fludioxonil: Liver and kidney toxicity at high dose levels.

Mefenoxam: Liver effects at high dose animal tests.

Thiamethoxam: Subchronic: Liver effects occurred in rodents only at high dose levels. Not neurotoxic after high acute and subchronic exposure in rats.

#### Carcinogenicity

Difenoconazole: Did not show carcinogenic effects in animal experiments.

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).  
Mefenoxam: None observed.  
Thiamethoxam: Classified as "not likely to be carcinogenic in humans" based on lifetime studies in mice and rats.

Chemical Name	NTP/IARC/OSHA Carcinogen
Glycerin	No
Titanium Dioxide	IARC Group 2B
Other ingredients	No
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	No
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester	No
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-3-carbonitrile	No
3-(2-chloro-1,3-thiazol-5-ylmethyl)-5-methyl-1,3,5-oxadiazinan-4-ylidene(nitro)amine	No

### Other Toxicity Information

None

### Toxicity of Other Components

#### Glycerin

Repeated or prolonged exposure to concentrated solutions may result in dermatitis.

#### Other ingredients

Not Applicable

#### Titanium Dioxide

Titanium dioxide is listed as an IARC Group 2B (Possibly Carcinogenic to Humans).  
Prolonged exposure causes respiratory irritation and may lead to pulmonary fibrosis.  
Normal handling and field strength application of this product are not expected to result in exposures exceeding the occupational exposure limit(s) for this ingredient.

### Target Organs

#### Active Ingredients

Difenoconazole:	Brain, liver, kidney, gastrointestinal tract
Fludioxonil:	Liver, kidney
Mefenoxam:	Liver
Thiamethoxam:	Liver

#### Inert Ingredients

Glycerin:	Skin
Other ingredients:	Not Applicable
Titanium Dioxide:	Lung

## 12. ECOLOGICAL INFORMATION

### Eco-Acute Toxicity

#### Difenoconazole:

Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

Green Algae 72-hour EbC50 0.032 mg/

### Mefenoxam:

Fish (Rainbow Trout) 96-hour LC50 > 121 ppm  
Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm  
Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

### Fludioxonil:

Fish (Rainbow Trout) 96-hour LC50 0.47 ppm  
Green Algae 5-day EC50 0.087 ppm  
Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.9 ppm  
Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

### Thiamethoxam:

Fish (Rainbow Trout) 96-hour LC50 > 100 ppm  
Bird (Mallard Duck) LD50 Oral 576 mg/kg  
Invertebrate (Daphnia Magna) 48-hour EC50 > 106 ppm  
Green Algae 4-day EC50 > 97 ppm

### Environmental Fate

#### Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.  
Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

#### Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.  
Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

#### Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.  
Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

#### Thiamethoxam:

The information presented here is for the active ingredient, thiamethoxam.  
Not persistent in soil. Stable in water. Moderate mobility in soil. Floats in water (after 24 h).

## 13. DISPOSAL CONSIDERATIONS

### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

## 14. TRANSPORT INFORMATION

### DOT Classification

Ground Transport - NAFTA  
Not regulated

### Comments

Water Transport - International  
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fludioxonil, Difenoconazole), Marine

## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

Pollutant  
Hazard Class: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

Air Transport  
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fludioxonil, Difenoconazole)  
Hazard Class: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

### 15. REGULATORY INFORMATION

#### Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if inhaled or absorbed through the skin. Avoid contact with eyes, skin, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

EPA Registration Number(s):  
100-935

#### EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

#### CERCLA/SARA 304 Reportable Quantity (RQ):

Not Applicable

#### RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

#### TSCA Status:

Exempt from TSCA, subject to FIFRA

### 16. OTHER INFORMATION

#### NFPA Hazard Ratings

Health: 1  
Flammability: 1  
Instability: 0

#### HMIS Hazard Ratings

Health: 1\*  
Flammability: 1  
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: D

For non-emergency questions about this product call:

1-800-334-9481



## HELIX XTra® Insecticide with Fungicides

Date: 5/15/2015  
Replaces: 10/17/2014

---

Original Issued Date: 3/16/1998

Revision Date: 5/15/2015

Replaces: 10/17/2014

Section(s) Revised: 3, 4

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.