

RIDOMIL GOLD® SL

Date: 6/23/2015
 Replaces: 1/29/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **RIDOMIL GOLD® SL**
 Product No.: A13947A
 Use: Fungicide
 Manufacturer: Syngenta Crop Protection, LLC
 Post Office Box 18300
 Greensboro NC 27419
 Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Oral: Category 4
 Eye Damage/Irritation: Category 2B
 Signal Word (OSHA): Warning
 Hazard Statements: Harmful if swallowed
 Causes eye irritation

Hazard Symbols:



Precautionary Statements: Wash hands and face thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 If swallowed: Call a poison center, doctor or Syngenta if you feel unwell. Rinse mouth.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice.
 Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
1,2-Propanediol	Propylene Glycol	57-55-6	Trade Secret
Acetophenone	Acetophenone	98-86-2	<20.0%

RIDOMIL GOLD® SL

Date: 6/23/2015
Replaces: 1/29/2015

2-Heptanone	2-Heptanone	110-43-0	Trade Secret
Other ingredients	Other ingredients	Trade Secret	>34.7%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	45.3%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and

RIDOMIL GOLD® SL

Date: 6/23/2015

Replaces: 1/29/2015

drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Propylene Glycol	Not Established	Not Established	10 mg/m ³ TWA	AIHA
Acetophenone	Not Established	10 ppm TWA	Not Established	Not Applicable
2-Heptanone	100 ppm TWA	50 ppm TWA	100 ppm TWA	NIOSH
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Mefenoxam	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

RIDOMIL GOLD® SL

Date: 6/23/2015
Replaces: 1/29/2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow to orange clear liquid
Odor: Ketone-like
Odor Threshold: Not Available
pH: 6.5 - 9.5 (1% in deionized water)
Melting point/freezing point: Not Available
Initial boiling point and boiling range: Not Available
Flash Point (Test Method): > 158°F (Pensky-Martens CC)
Flammable Limits (% in Air): Not Available
Flammability: Combustible liquid
Vapor Pressure: Mefenoxam 2.5 x 10⁽⁻⁵⁾ mmHg @ 77°F (25°C)
Vapor Density: Not Available
Relative Density: 1.05 - 1.07 g/cm³ @ 68°F (20°C)
Solubility (ies): Mefenoxam 26 g/l @ 77°F (25°C)
Partition coefficient: n-octanol/water: Not Available
Autoignition Temperature: Not Available
Decomposition Temperature: Not Available
Viscosity: Not Available
Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
Chemical stability: Stable under normal use and storage conditions.
Possibility of hazardous reactions: Will not occur.
Conditions to Avoid: Not Available
Incompatible materials: None known.
Hazardous Decomposition Products: Not Available

11. TOXICOLOGICAL INFORMATIONHealth effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation

Delayed, immediate and chronic effects of exposure: Eye irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Female Rat) : 550 mg/kg body weight

RIDOMIL GOLD® SL

Date: 6/23/2015
 Replaces: 1/29/2015

Dermal: Dermal (LD50 Rat) : > 2000 mg/kg body weight
 Inhalation: Inhalation (LC50 Rat) : > 5.58 mg/l air - 4 hours
 Eye Contact: Moderate Irritant
 Skin Contact: Non-Irritating (Rabbit)
 Skin Sensitization: Not a Sensitizer (Guinea Pig)

Reproductive/Developmental Effects

Mefenoxam: None observed.

Chronic/Subchronic Toxicity Studies

Mefenoxam: Liver effects at high dose animal tests.

Carcinogenicity

Mefenoxam: None observed.

Chemical Name	NTP/IARC/OSHA Carcinogen
1,2-Propanediol	No
Acetophenone	No
2-Heptanone	No
Other ingredients	No
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester	No

Other Toxicity Information

None

Toxicity of Other Components

2-Heptanone

May cause eye, skin and respiratory tract irritation. Ingestion of large amounts may cause gastrointestinal irritation.

Acetophenone

Exposure causes severe eye and skin irritation. Prolonged contact may cause defatting of the skin and dermatitis or burns. Inhalation of high concentrations may cause central nervous system effects characterized by headache, dizziness, unconsciousness and coma. May cause irritation of the respiratory tract with burning, pain in the nose and throat, coughing, wheezing, shortness of breath and pulmonary edema. Ingestion may cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Other ingredients

Not Applicable

Propylene Glycol

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

Target Organs

Active Ingredients

Mefenoxam: Liver

RIDOMIL GOLD® SL

Date: 6/23/2015

Replaces: 1/29/2015

Inert Ingredients

2-Heptanone:	Eye
Acetophenone:	CNS, skin, eye
Other ingredients:	Not Applicable
Propylene Glycol:	CNS, kidney, liver

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Mefenoxam:

Fish (Rainbow Trout) 96-hour LC50 > 121 ppm
 Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm
 Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

Environmental Fate

Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.
 Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
 Containers < 119 gallons: Not regulated.
 Containers > 119 gallons:
 Proper Shipping Name: Combustible Liquid, N.O.S. (n-Amyl Methyl Ketone)
 Hazard Class: Combustible Liquid
 Identification Number: NA 1993
 Packing Group: PG III
 > 3500 gallons:
 Proper Shipping Name: RQ, Combustible Liquid, N.O.S. (n-Amyl Methyl Ketone) (Acetophenone)
 Hazard Class: Combustible Liquid
 Identification Number: NA 1993
 Packing Group: PG III

Comments

Water Transport - International
 Not regulated.
 Comments: Shipments to/from the US must comply with classification above.

Air Transport
 < 119 gallons:
 Not regulated.

RIDOMIL GOLD® SL

Date: 6/23/2015
 Replaces: 1/29/2015

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

EPA Registration Number(s):

100-1202

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
 Fire Hazard

Section 313 Toxic Chemicals: Acetophenone <20.0% (CAS No. 98-86-2)

CERCLA/SARA 304 Reportable Quantity (RQ):

Report product spills > 3500 gal. (based on acetophenone [RQ = 5000 lbs.] content in the formulation) (CERCLA)

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
 Flammability: 2
 Instability: 0

HMIS Hazard Ratings

Health: 1
 Flammability: 2
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: B,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 7/13/2005

Revision Date: 6/23/2015

Replaces: 1/29/2015

Section(s) Revised: 2, 4, 11, 16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

RIDOMIL GOLD® SL

Date: 6/23/2015

Replaces: 1/29/2015
